



MOCAVA
DESIGN

NATURAL STATE COLLECTION



MSPC-NS6 ROOM SCENE

Flooring size: 18.2cm x 124cm | 23cm x 124cm | 23cm x 154cm





NATURAL STATE

FLOORING DESIGN




MSPC-NS01

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm






MSPC-NS02

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE

FLOORING DESIGN



MSPC-NS03

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm





MSPC-NS04

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE

FLOORING DESIGN



MSPC-NS05

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm





MSPC-NS06

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm






MSPC-NS07

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS08

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS09

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE

FLOORING DESIGN




MSPC-NS10

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN



MSPC-NS11

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS12

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS13

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN



MSPC-NS14

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN



MSPC-NS15

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS16

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS17

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm



NATURAL STATE



FLOORING DESIGN




MSPC-NS18

Pattern size: 984x1890mm

Flooring size: 18.2cm×124cm |
23cm × 124cm | 23cm × 154cm

Thickness: 4.5mm | **5mm** | 6mm




NATURAL STATE

ALL COLORS COLLECTION



SPC (Rigid Core)



PRODUCT SPECIFICATIONS

Size: 23cm × 124cm or custom (order)

Installation: Valinge, i4F

Thickness: 4mm, 5mm, 6mm

Underlay: EVA, IXPE

Wear Layer: 0.1mm-1mm

Features: waterproof, anti-scratch

Textures: Embossed, Hand scraped, Crystal, Stone, Registered embossed (EIR)

Certification: Floor score, ISO9000, ISO14001, SGS


Core Material: 100% Virgin

Customization: Accept

PRODUCT ADVANTAGES

- 1.Environmental protection, save the hardwood, save the forest.
- 2.Sound absorption & Soundproof, it is sound insulation can deaden the noise of the room.
- 3.Waterproof & Fireproof, It is water repellent, so the water could not penetrate into the floor.
- 4.Anti-corrosion & long life time, provide the industry with better products and maintenance free for clients.
- 5.Anti-slippery, Slip resistance make it more suitable for kids & the aged family, dance room and badminton court.

Vinyl Flooring (LVT)



PRODUCT SPECIFICATIONS

Size: 23cm × 124cm or custom (order)

Installation: Valinge, i4F, (click vinyl)

Thickness (mm): 2, 2.5, 3, 3.2, 4, 5, 6

Wear Layer: 0.1mm-1mm

Features: waterproof, sound resistant

Textures: Embossed, Hand scraped, Crystal, Stone, Registered embossed (EIR)

Certification: Floor score, ISO9000, ISO14001, SGS

Core Material: 100% Virgin

Customization: Accept

- 6.Anti-scratch & Stain repellent, High quality wear layer making it exceptionally stain and scratch resistant.
- 7.Good foot feels, They are warmer underfoot than traditional tile or stone.
- 8.Easy install and maintain, reduces the cost of labor force, economic choose for residential and commercial.
- 9.Eco-friendly, no noxious or chemical component.
- 10.100% Virgin material, It is made from virgin material to ensure the quality of the final product stable.
- 11.NO swelling when exposed to water.
- 12.Durable, will not expand or contract, very stable.





MOCAVA DESIGN

mocavadesign.com